rt Unit: 2644

KAJ

In the Claims

Claim 26-29, 31, 33-36, 38, 47, 54-58, 70 and 87 are amended as shown below.

1-25. (Canceled).

(Previously Presented) A method of luring an animal to an area in an environment, the method comprising acts of:

- (A) operating a device that includes a recording medium having first and second separately pre-recorded sounds stored thereon, wherein the first pre-recorded sound simulates a first sound made by a species of animal in the environment and the second pre-recorded sound simulates a second sound, distinct from the first sound, made by a species of animal in the environment; and
- (B) contemporaneously playing back the first and second pre-recorded sounds, wherein the contemporaneous playing back of the first and second prerecorded sounds produces a combination of sounds for luring the animal.
- (Currently Amended) The method of claim 26; wherein the act (A) (B) includes acts of: playing back the first and second pre-recorded sounds from a speaker positioned in the area; and

controlling the playing back of the first and second pre-recorded sounds from a controller that is housed separately and disposed remotely from the speaker.

28. (Currently Amended) The method of claim 27; wherein the act (A) (B) includes an act of:

controlling the playing back of the first and second pre-recorded sounds from a hand-held controller.

29. (Currently Amended) The method of claim 26, wherein the first pre-recorded sound simulates the sound of a step taken by a member of a species of animal, and wherein the method further includes an act of repeating the act (A) (B) to simulate a sound of a member of a species of animal walking.

8

11

Unit: 2644

20. (Previously Presented) The method of claim 29, further including an act of varying a volume at which the first pre-recorded sound is played back between repetitions to simulate a sound of a member of a species of animal walking in a particular direction.

recording medium has a plurality of audio messages recorded thereon, each audio message representing an animal sound, a first of the plurality of audio messages including the first pre-recorded sound and a second of the plurality of audio messages including the second pre-recorded sound, and the method further comprises acts of:

providing an audio-recording medium having a plurality of audio messages recorded thereon, each audio message representing an animal sound, a first of the plurality of audio messages including the first pre-recorded sound and a second of the plurality of audio messages including the second pre-recorded sound;

receiving input from a user that identifies the first and second pre-recorded sounds for play-back; and

producing, from the first and second pre-recorded sounds, an output sound that simulates the first and second sounds.

(Original) The method of claim 31, further comprising acts of:
receiving a volume control signal; and
changing a volume of the output sound in accordance with the volume control signal.

(Currently Amended) The method of claim 31, wherein further comprising an act (B) comprises an act of combining at least a portion of the first pre-recorded sound with at least a portion of the second pre-recorded sound to produce a the combined output sound.

(Currently Amended) The method of claim 26, wherein the act (A) (B) includes an act of playing back at least one of the first and second pre-recorded sounds from a recording of a sound actually made by a member of a species of animal.

. /

t Unit: 2644

(Currently Amended) The method of claim 26, wherein the act (A) (B) includes an act of playing back at least one of the first and second pre-recorded sounds from a recording of a manmade sound.

16

26. (Previously Presented) An apparatus for luring an animal to an area in an environment, the apparatus comprising:

a recording medium storing first and second pre-recorded sounds that simulate first and second distinct sounds each made by a species of animal in the environment; and

a controller to play back the first and second pre-recorded sounds contemporaneously to produce a combination of sounds for luring the animal.

17

(Previously Presented) The apparatus of claim 26, further including a speaker to reproduce the first and second pre-recorded sounds when the first and second pre-recorded sounds are played back and a user interface that enables a user to control the playing back of the first and second pre-recorded sounds, wherein the user interface is housed separately and can be disposed remotely from the speaker.

18

38. (Currently Amended) The apparatus of claim 37, wherein the user interface is part of a hand held unit.

19

39. (Original) The apparatus of claim 38, wherein the user interface is a touch pad including a plurality of buttons, wherein a first of the plurality of buttons corresponds to a playing back of the first pre-recorded sound and a second of the plurality of buttons corresponds to a playing back of the second pre-recorded sound.

16

20

-40: (Original) The apparatus of claim 36, further including means for combining at least a portion of the first pre-recorded sound with at least a portion of the second pre-recorded sound to produce a combined output sound when the first and second pre-recorded sounds are played back contemporaneously.

16

rt Unit: 2644

41: (Previously Presented) The apparatus of claim 36, further including a speaker to reproduce the first and second pre-recorded sounds when the first and second pre-recorded sounds are played back and a volume control that controls a volume at which the speaker reproduces the first and second pre-recorded sounds when the first and second pre-recorded sounds are played back.

22, /6

42: (Previously Presented) The apparatus of claim 36, wherein the first pre-recorded sound simulates an environmental contact sound made by a species of animal in the environment and the second pre-recorded sound simulates one of a vocal sound made by a species of animal and an animal-to-animal contact sound made by members of a species of animal in the environment.

23

43. (Previously Presented) The apparatus of claim 36, wherein the first pre-recorded sound simulates the sound of a step taken by a member of a species of animal, and wherein the controller can repeatedly play back the pre-recorded sound to simulate a sound of a member of a species of animal walking.

24 /6
44: (Original) The apparatus of claim 36, wherein the controller includes means for playing back the first and second pre-recorded sounds contemporaneously.

25

45. (Previously Presented) The apparatus of claim 36, wherein at least one of the first and second pre-recorded sounds is recorded from a sound actually made by a member of a species of animal.

26

(Original) The apparatus of claim 36; wherein at least one of the first and second prerecorded sounds is recorded from a man-made sound.

47: Previously Presented An apparatus for luring an animal to an area in an environment, the apparatus comprising:

means for storing first and second pre-recorded sounds that simulate first and second distinct sounds each made by a species of animal in the environment; and

of paper strong

Art Unit: 2644

means for playing back the first and second pre-recorded sounds contemporaneously to produce a combination of sounds for luring the animal.

48-53. (Canceled).

/3
54: (Currently Amended) The method of claim 26; wherein act (A) (B) comprises playing back the first pre-recorded sound that simulates an animal sound made by a species of animal of which the lured animal is a member.

/4
55: (Currently Amended) The method of claim 54, wherein act (A) (B) comprises playing back the second pre-recorded sound that simulates an animal sound made by the species of animal of which the lured animal is a member.

(Currently Amended) The method of claim 26, wherein act (A) (B) comprises playing back the first pre-recorded sound that simulates an animal sound made by a first species of animal and playing back the second pre-recorded sound that simulates an animal sound made by the first species.

(Currently Amended) The method of claim 3126, wherein act (A) (B) comprises playing back the first pre-recorded sound, which simulates a vocal animal sound.

/6

58: (Currently Amended) The apparatus method of claim 57, wherein act (A) (B) comprises playing back the second pre-recorded sound, which simulates a second vocal animal sound

different than the first vocal animal sound.

27

59: (Previously Presented) The apparatus of claim 36, wherein at least one of the first and second simulated sounds is made by a species of animal of which the lured animal is a member.

28
60: (Previously Presented) The apparatus of claim 36, wherein the first simulated animal sound and the second simulated animal sound are made by a same animal species.

Serial	No.	09/	483,	653
Confu	rmat	ion	No.:	8646

16

Art Unit: 2644

29 -6t. (P

(Previously Presented) The apparatus of claim 36, further comprising:

a speaker to reproduce the first and second pre-recorded sounds when the first and second pre-recorded sounds are played back.

30

16

62: (Previously Presented) The apparatus of claim 36, further comprising:

a first signal representing the first pre-recorded sound on the recording medium, the first pre-recorded sound simulating a first vocal animal sound; and

a second signal representing the second pre-recorded sound on the recording medium.

31

69. (Previously Presented) The apparatus of claim 62, wherein the second pre-recorded sound simulates a second vocal animal sound different than the first vocal animal sound.

32

16

64. (Previously Presented) The apparatus of claim 36, wherein the apparatus further comprises:

a battery to provide power to the apparatus.

34

33

65: (Previously Presented) The apparatus of claim 47, wherein at least one of the first and second simulated sounds is made by a species of which the lured animal is a member.

35

33

(Previously Presented) The method of claim 47, wherein the first simulated animal sound and the second simulated animal sound are made by a same species of animal.

36

3

(Previously Presented) The apparatus of claim 47, further comprising:

means for reproducing the first and second pre-recorded sounds when the first and second pre-recorded sounds are played back.

37

33

68: (Previously Presented) The apparatus of claim 47, further comprising:

a first signal representing the first pre-recorded sound on the recording medium, the first pre-recorded sound simulating a first vocal animal sound; and

a second signal representing the second pre-recorded sound on the recording medium.

Unit: 2644

38 -69. (Previously Presented) The apparatus of claim 68, wherein the second pre-recorded sound simulates a second vocal animal sound different than the first vocal animal sound.

39

70: (Previously Presented) An apparatus for luring an animal to an area in an environment, the apparatus comprising:

a recording medium on which is stored a first signal representing a first pre-recorded sound that simulates at least a first animal sound made by a species of animal in the environment and a second signal representing a second pre-recorded sound that simulates at least a second animal sound, distinct from the first animal sound, made by a species of animal in the environment;

a user interface including a first button to select the first signal and a second button to select the second signal;

a controller to play back contemporaneously the first and second pre-recorded sounds, in response to the first button and second button being pressed, to produce a combination of sounds for luring the animal; and

a hand held unit to house the recording medium, the user interface and the controller during operation of the apparatus.

40

41. (Previously Presented) The apparatus of claim 70, wherein the first animal sound is made by a species of animal of which the lured animal is a member.

41

72-(Previously Presented) The apparatus of claim 70, wherein the first animal sound and the second animal sound are made by a same animal species.

42

(Previously Presented) The apparatus of claim 70, wherein the first pre-recorded sound 73simulates a first vocal animal sound.

43

(Previously Presented) The apparatus of claim 73, wherein the second pre-recorded :74 sound simulates a second vocal animal sound different than the first vocal animal sound.

39

.

t Unit: 2644

75. (Previously Presented) The apparatus of claim 70, further comprising:

a speaker, housed separately from the hand-held unit, to reproduce the first and second pre-recorded sounds contemporaneously in response to the playback of the first and second pre-corded sounds by the controller.

(Previously Presented) The apparatus of claim 70, wherein the user interface includes one or more controls to control a volume of the reproduced first and second pre-recorded sounds.

46
47. (Previously Presented) The apparatus of claim 70, wherein the apparatus further comprises:

a battery to provide power to the apparatus.

- 78. (Previously Presented) A method of luring an animal to an area in an environment using a hand-held unit that houses a recording medium and a user interface, the recording medium storing a first signal representing a first pre-recorded sound that simulates at least a first animal sound made by a species of animal in the environment and storing a second signal representing a second pre-recorded sound that simulates at least a second animal sound made by a species of animal in the environment that is different than the first animal sound, and the user interface including a first button to select the first pre-recorded sound and a second button to select the second pre-recorded sound, the method comprising acts of:
- (A) controlling a simulation of the first animal sound by pressing the first button to reproduce the first pre-recorded sound; and
- (B) controlling a simulation of the second animal sound that is contemporaneous to the simulation of the first animal sound by pressing the second button to reproduce the second animal sound, wherein he contemporaneous playing back of the first and second prerecorded sounds produces a combination of sounds for luring the animal.

(Previously Presented) The method of claim 78, wherein act (A) comprises controlling the simulation of the first animal sound made by a species of animal of which the lured animal is a member.

54

48

rt Unit: 2644

(Previously Presented) The method of claim 79, wherein act (B) comprises controlling the simulation of the second animal sound made by the species of animal of which the lured animal is a member.

(Previously Presented) The method of claim 78, wherein act (A) comprises controlling the simulation of the first animal sound made by a first species of animal, and act (B) comprises controlling the simulation of the second animal sound made by the first species.

82. (Previously Presented) The method of claim 78; wherein act (A) comprises controlling the simulation of a first vocal animal sound.

(Previously Presented) The method of claim 82, wherein act (B) comprises controlling the simulation of a second vocal animal sound different than the first vocal animal sound.

47
84: (Previously Presented) The method of claim 78; wherein act (A) further comprises controlling the reproduction of the first pre-recorded sound by a speaker housed separately from the hand-held unit, and act (B) further comprises controlling the reproduction of the second pre-recorded sound by the speaker.

Or more volume controls, and the method further comprises an act of:

(C) controlling a volume of the reproduced first and second pre-recorded sounds using the one or more volume controls.

65 (Previously Presented). The method of claim 79 wherein the hand he

-86: (Previously Presented) The method of claim 78; wherein the hand-held unit further houses a battery, and the method further comprises an act of:

(C) providing power to the user interface and the recording medium using the battery.

87. (Previously Presented) An apparatus for luring an animal to an area in an environment, the apparatus comprising:

a recording medium on which is stored a first signal representing a first pre-recorded

rt Unit: 2644

sound that simulates at least a first animal sound made by a species of animal in the environment and a second signal representing a second pre-recorded sound that simulates at least a second animal sound, distinct from the first animal sound, made by a species of animal in the environment;

a user interface including a first button to select the first pre-recorded sound and a second button to select the second pre-recorded sound;

means for contemporaneously playing back the first and second pre-recorded sounds in response to the first button and the second button being pressed; and

a hand-held unit to house the recording medium, the user interface and the means for playing back during operation of the apparatus.